

SOURCES OF SATELLITE IMAGERY

How do you rate this web site?



Vote now!


Homepage



Go


This page details sources of imagery for use by the Satellite Archaeologist.

PHOTOGRAPHIC SENSORS

Satellite/sensor	Brief description	Image sources
 CORONA	Declassified intelligence satellite photographs from the CORONA, LANYARD and ARGON programmes date from the 1960s and early 70s. The best CORONA images have a ground resolution of 2-3m. More information: USGS .	Coverage maps are available at the USGS Global Land Information System (GLIS) . Images can be purchased on-line but are delivered by snail mail as photographic products.
 KVR-1000	The KVR-1000 pancromatic camera carried on the Russian Cosmos satellites has a ground resolution of 1.5-3m. More information: SPIN-2 .	Coverage maps are available on the Microsoft TerraServer . Images can be purchased on-line and are delivered over the Internet.

<p>Space Shuttle Photography</p> 	<p>Low resolution hand-held colour photographs from Space Shuttle missions provide a useful overview of areas of the Earth's surface.</p> <p>More information: USGS.</p>	<p>NASA Ames browser for NASA JSC's Earth Observation collection.</p>
--	--	---

DIGITAL SENSORS		
Satellite/sensor	Brief description	Image sources
<p>LANDSAT</p> 	<p>This American series of satellites has provided multispectral data since 1972. LANDSATs 1-3 carried a Multispectral Sensor (MSS) with a resolution of 80m and a lower resolution Return Beam Vidicon (RBV) camera. LANDSATs 4 and 5 have an MSS and a Thematic Mapper (TM) sensor with a resolution of 30m.</p> <p>More information: USGS.</p>	<p>Coverage maps are available at the USGS Global Land Information System (GLIS).</p>
<p>SPOT</p> 	<p>Three French SPOT satellites have been launched since 1986. Each has carried a Multispectral (XS) sensor with a resolution of 20m and a Panchromatic (Pan) sensor with a resolution of 10m.</p> <p>More information: USGS.</p>	<p>Coverage maps are available at the USGS Global Land Information System (GLIS).</p>
<p>IKONOS</p>	<p>Space Imaging's IKONOS 1 is the world's first</p>	<p>No images available to date. Further</p>




commercial 1-meter remote sensing satellite. The 1-meter resolution of the panchromatic data enables users to distinguish ground features as small as one meter. The accuracy and interpretability of the imagery makes it ideal for mapping and analysis.



information is available from the [Space Imaging website](#).



IKONOS 1 will simultaneously collect 4-meter multispectral data, excellent for a variety of analysis applications. Space Imaging also performs a technique called "Pan-Sharpening" which combines the spatial content of the 1-meter panchromatic data with the spectral content of the 4-meter multispectral data.


More information: [Space Imaging](#).

IMAGING RADAR

Satellite/sensor	Brief description	Image sources
SIR-A/B 	Flown aboard the Space Shuttle missions STS 2 and STS 41G, the Imaging Radar experiment acquired images of varied terrains and ocean surfaces. SIR-B was able to acquire digital imagery from different incidence angles. More information:	Coverage maps are available from NASA JPL .
SIR-C	SIR-C imaged approximately 10% of the Earth's surface on flights on board the Space Shuttle Endeavour in April and October 1994. More information:	Coverage maps are available from NASA JPL .

	<p>More information:</p>	
<p>X-SAR</p> 		<p>The <u>X-SAR User Kit</u> is available from DLR.</p> <p>Coverage maps are available from DLR and <u>NASA JPL</u>.</p>

FORTHCOMING SYSTEMS		
Satellite/sensor	Brief description	Image sources
<p>QuickBird</p> 	<p>Forthcoming system that should provide 1m resolution Pan and 4m resolution XS products. Due to be launched in 1999.</p> <p>More information: <u>Earthwatch</u>.</p>	<p>No images available to date. Further information is available from the <u>Earth Watch Incorporated website</u>.</p>
<p>Orbview-3</p> 	<p>Forthcoming system that should provide 1-2m resolution Pan and 4m resolution XS products.</p> <p>More information: <u>Orbimage</u>.</p>	<p>No images available to date. Further information is available from the <u>Orbimage website</u>.</p>
<p>Orbview-4</p>	<p>Forthcoming system that should provide 1-2m resolution Pan and 4m resolution XS products.</p>	<p>No images available to date. Further information is available from the</p>

	More information: <u>Orbimage</u> .	<u>Orbimage website</u> .
EO-1 <i>Hyperion</i> imager	<p>Hyperion, the first hyperspectral imager to orbit the earth, will be launched on 15 Dec. 99. The 242-band instrument will set the standard for orbiting imagers, providing a more than thirty-fold increase over multispectral capability now aloft.</p> <p>More information:</p> <ul style="list-style-type: none">• <u>TRW</u>• <u>NASA Goddard Spaceflight Center</u>.	No images available to date.

Number of visitors to this page: Not available

Copyright © 1996-1999 Martin J F Fowler, Winchester, UK

URL: <http://ourworld.compuserve.com/homepages/mjff/sources.htm>

Comments on this page are most welcome. Contact the Webmaster at mjff@compuserve.com

This page was last modified on 18 Sep 99.

